

# BoF: The Virtual Institute for I/O and the IO-500

Julian M. Kunkel, Jay Lofstead, John Bent

German Climate Computing Center, Sandia National Lab, Seagate Government Solutions

2017-06-20



# Outline

- 1 Overview
- 2 Wiki Content
- 3 High-Performance Storage List
- 4 Summary

# Introduction

## Goals of the Virtual Institute for I/O

- Provide a platform for I/O enthusiasts for exchanging information
- Foster training and collaboration in the field of high-performance I/O
- Track and encourage the deployment of large storage systems by hosting information about high-performance storage systems

<https://www.vi4io.org>



# Introduction

## Philosophical cornerstones of the institute

- Treat every member and participant equally
- Allow free participation without any membership fee inclusive to all
- Be independent of vendors and research facilities

# Open Organization

- The organization uses a wiki as central hub
  - Everybody (registered users) can edit the content
  - Mayor changes should be discussed (see below)
  - The wiki uses tag clouds to link between similar entities
- Supported by mailing lists
  - Call-for-papers
  - Announce list for relevant information
  - Contribute list to discuss and steer organizational issues
- Mayor changes should be discussed on the contribute mailing list
- Members can vote for changes

***Everybody is welcome to participate***

# Wiki Content

- Groups involved in high-performance storage  
*Overview of research groups and industry (companies involved in research)*
  - Product development the group is involved in
  - Research projects (with links to their source)
  - Tags for layers, products and knowledge
- Tools: *Overview of relevant tools with small descriptions*
  - Types of tools: analysis, benchmarking, I/O middleware
  - Tags for layers and features
- High-performance storage list (HPSL)  
*Similar to many other lists, e.g., Top500, Graph500*
  - Due to the nature of I/O no simple metric
  - Editable and owned by the community
- Internal section  
*Provides templates and describes rules for editing the page*

# Group Tags

## Layers

- Describe the abstraction level in the file system stack
  - block storage, object storage, file system, middleware, tape, grid, cloud
- You may add a specific software as well (MPIIO, ...)

## Knowledge

- Orthogonal
  - data management, energy-efficiency, machine learning, compression, deduplication, big data, modeling, virtualization, monitoring, simulation
- You may add a specific software as well (GPFS, HPSS, MPICH)

## Products

- Specific software products, e.g., MPICH
- Development of software the group is involved in

# High-Performance Storage List

The HPSL contains system characteristics for sites, supercomputer and storage

## Strategy to overcome certain obstacles

- *Storage systems are heterogeneous*
  - Communicate a system model that fits most use cases
- *Representativeness of a single metric / benchmark*
  - Rely mostly on theoretic values
  - Allow users to utilize any benchmark/app to determine sustained performance
- *Runtime for executing a benchmark*
  - Optional values: a site can publish computers with a subset of values
  - No overhead, since users can use their own benchmark



# System Model

## Components with characteristics


- Site
- Supercomputer
- Storage: shared, local, tape archive

## Navigation

- Components are assigned to sites
- The site topology is visualized

Examples: <http://www.vi4io.org/hpsl/2017/de/dkrz/start>

<http://www.vi4io.org/hpsl/2017/jp/jamstec/start>



# Collected Information

## Peak Performance

- Theoretical value based on hardware limits
  - e.g. network (server) throughput, SATA limits
- Best performance of one server x number of servers.
- Describe in the text how the peak is computed

## Sustained Performance

- Actually observed performance with an application or benchmark
- You can use any benchmark and measurement protocol
- Just make sure you are not measuring cache effects
- Describe in the text how the value has been measured

# Collected Information

## Tags

- Describe hardware and software features individually
- Include coarse grained and fine grained information
  - Lustre, Lustre 2.7, DNE Phase 1
  - Infiniband, FDR-14, fat-tree, blocking 2:2:1
- A taxonomy is needed – but overkill so far
  - Approach: check existing tags and manually fix tag incompatibility

# Tracking Data Across Multiple Years

## Strategy

- Every begin of a year, systems from the last list are copied over
- Decomission: 5 years after installation, systems are removed from the list

## Dealing with hardware upgrades


- Procurement in phases: a small system is delivered first, later a big one
  - If both systems work as one big system, you can first add “NAME phase 1”, then later add the system “NAME”
    - Combine the characteristics
  - If not, then you can keep “NAME phase 1” and “NAME phase 2” systems
- Minor upgrades: e.g., more storage, more compute nodes
  - Just update the system characteristics of this year’s supercomputer
  - Keep the older lists as they are

# HPSL 2017

## Features

- Table view with selectable columns
- Flexible metrics selection/aggregation
- Multi-year analysis will be supported



storage capacity



#	Site		Supercomputer		Storage		
	Name	nationality	Name	memory_capacity	Name	capacity	
			in PFLOPs	in TiB		in PiB	
1	LANL	US	Trinity	11.08	1,919.03	Lustre	72.83
2	DKRZ	DE	Mistral	3.12	204.00	Lustre02 Lustre01 HPSS	52.00
3	LLNL	US	Sequoia	20.10	1,364.24	Groove	48.85
4	RKEN	JP	K Computer	10.62	1,136.87	Lustre FEFS	39.77
5	NCAR	USA	Cheyenne	5.33	184.40	HPSS GPFS	37.00
6	NERSC	US	Cori Phase I	4.90	204.00	Lustre	30.00
7	ORNL	US	Titan	27.10	645.74	Spider 2	28.00
8	NCSA	US	Blue Waters	13.40	1,500.00	HPSS Lustre	26.40
9	JCAHPC	JP	Oakforest-PACS	24.91	836.09	Lustre Burst Buffer	24.10
10	CINECA	IT	Marconi A2 Fermi	12.93	413.97	GPFS GPFS	23.71
11	ANL	US	Mira	10.00	698.49	GPFS	21.32
12	JSC	DE	Juqueen	5.90	407.45	HPSS JUST	20.30
13	JAMSTEC	JP	Earth Simulator	1.31	291.04	Home Data Work Archive	19.62
14	KMA	KR	Miri	2.90	0.00	Lustre	19.27
15	NSCC	CN	TaihuLight	125.00	1,191.44	Sunway	17.76
16	AFRL	US	Thunder	5.61	406.54	Lustre	15.54
17	KAUST	SAU	Shaheen II	7.20	718.50	Lustre HPSS	15.28
18	LRZ	DE	SuperMUC Phase 2	3.58	176.44	GPFS	15.00
19	NASA	US	Pleiades	4.97	603.90	Lustre	14.21
20	NSCG	CN	Tianhe-2 Tianhe-1A	59.60	1,169.61	Tianhe-2 H2FS Tianhe-2 Lustre Lustre	14.18
21	TACC	US	Stampede	9.60	245.56	Lustre	12.43
22	ERDC DSRC	US	Topaz	4.57	401.63	Lustre	10.66
23	HLRS	DE	Hazel Hen	7.40	876.75	HPSS Lustre	8.88
24	TEP	FR	Pangea	6.71	49.11	Lustre	8.17
25	GSIC	JP	Tsubame 2.5	5.76	87.67	Lustre	6.93
26	ENI	IT	HPC2	4.60	0.00	GPFS	6.66
27	PGS	US	Abel	5.37	531.14	Lustre	5.33
28	Nagoya University	JP	PRIMEHPC	3.20	83.67	Lustre	5.33
29	ECMWF	UK	Cray XC40	4.25	0.00	HPSS Lustre	5.33
30	ARL	US	Excalibur	3.70	385.63	Lustre	4.09
31	EPCC	UK	Archer	2.55	0.00	Lustre	3.91
32	PNL	US	Cascade	3.40	167.35	Lustre	2.40
33	CSCS	CHE	Piz Daint	7.79	153.70	Lustre	2.22

# Some More Analysis: Relationship Storage/Memory Capacity

- 33 sites are in the list
- Correlation storage cap. vs.
  - memory capacity = 0.64
  - compute peak = 0.057
- Mean(storage/mem capacity)  
= 59



# Summary

- The Virtual Institute for I/O is a new community hub
  - Open to everybody and free to join
- It contains information about
  - Tools, benchmarks
  - Research groups
  - Standardization efforts
- It hosts the High-Performance Storage List (HPSL)
  - Covers many metrics and allows flexible visualization
  - Will track metrics across years
  - Can be updated by members

***You are welcome to participate***